

Specification Sheet

Part Number: FEWM6



Wall Mount Fiber Enclosure - Unloaded, accepts 1 Adapter Panel, Black, 1/pkg

Article Number	904-00717
Type	FEWM6
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none">• Durable stainless steel construction for long life.• Cable management spools for effective slack management.• Bend radius control to minimize hand and wrist strain.• Smooth grommet entry to protect cables from damage.• Locking tab for added security.• Meet ANSI/TIA/EIA 568-C standards.
Quantity Per	box

Product Description

HellermannTyton wall mount fiber enclosures provide a secure termination solution for applications requiring fully enclosed and/or lockable enclosures. Wall mount enclosures accommodate up to 144 fibers, mount easily and provide easy cable routing access behind the enclosure. Choose from enclosure options to accommodate 1, 2 or 4 standard LGX adapter panels.

Short Description	Wall Mount Fiber Enclosure - Unloaded, accepts 1 Adapter Panel, Black, 1/pkg
Global Part Name	FEWM6-BK
Technical Description	Wall Mount Fiber Enclosure - Unloaded, accepts 1 Adapter Panel, Black
Port Count	12 24 6
Length L (Imperial)	1.5
Length L (Metric)	38.1
Variant	Wall mount
Width W (Imperial)	6.5
Width W (Metric)	165.1
Height H (Imperial)	7.0
Height H (Metric)	177.8
Material	Metal (MET)
Package Quantity(Imperial)	1
Package Quantity (Metric)	1

Customs Number

8538907080

© 2018 HellermannTyton. All rights reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)