


NO.	MATERIAL	FINISH, REMARKS	NO.	PHOSPHOR BRONZE	TIN PLATED: 1μm MIN
1	PHOSPHOR BRONZE		1	PHOSPHOR BRONZE	TIN PLATED: 1μm MIN

NO.	MATERIAL (OLD)	FINISH, REMARKS	NO.	FINISH, REMARKS	FINISH, REMARKS	FINISH, REMARKS	FINISH, REMARKS
CL							

NO.	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE
1					1				
2					1				
3					1				



NOTES 1: APPLICABLE WIRE : 30 - 32 AWG
 JACKET DIAMETER : φ 0.9 MAX, φ 0.5 MIN
 2: 1 REEL 10000 CONTACTS

TO	

NO.	MATERIAL	FINISH, REMARKS	NO.	FINISH, REMARKS	FINISH, REMARKS	FINISH, REMARKS	FINISH, REMARKS
1	PHOSPHOR BRONZE		1	PHOSPHOR BRONZE			

NO.	MATERIAL	FINISH, REMARKS	NO.	FINISH, REMARKS	FINISH, REMARKS	FINISH, REMARKS	FINISH, REMARKS
CL							

NO.	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE
1					1				
2					1				
3					1				

DRAWING NO. EDC3-081859
 SCALE 20 : 1
 UNITS ITTMM

PART NO. DF13-3032SCF
 CODE NO. CL536-0299-8

HRS HIROSE ELECTRIC CO., LTD.
 DRAWN M. Kuramashi
 DESIGNED H. Umeda
 CHECKED T. Higashi
 APPROVED K. Katayama
 DATE 02.11.26
 RELEASED 02.11.29

FORM NO. 229